

## POSTER PAPERS

- P41** How magnetic is the solar tachocline  
*R. Arlt, A. Sule, G. Rüdiger*
- P101** Forward modeling of atmospheric magneto-acoustic-gravity waves  
*J. D. Armstrong*
- P79** Effects of rotation on turbulent convection in young solar-like stars  
*J. Ballot, A. S. Brun, S. Turck-Chièze*
- P56** How GOLF sees the second helium ionization layer across the solar cycle  
*J. Ballot, S. J. Jiménez-Reyes, R. A. García*
- P47** A seismic estimate of solar heavy element abundances  
*S. Basu, H. M. Antia*
- P52** Evolutionary convective envelope in modern model of the Sun  
*V. A. Baturin*
- P32** On the relation between solar flares and solar p modes excitation  
*F. Baudin*
- P74** On the amplitude of solar p modes  
*F. Baudin et al.*
- P94** On the possible instrumental influence in MOST Procyon data analysis  
*F. Baudin et al.*
- P93** SIAMOIS: an asteroseismic network with 1 site... in Antarctica  
*M. Benoit and the SIAMOIS team*
- P34** Seismic emission from M-class solar flares  
*D. Besliu-Ionescu, A. Donea, P. Cally, C. Lindsey*
- P99** Intensity and velocity oscillations in magnetic concentrations  
*L. Bharti, T. Rimmele*
- P28** Subsurface structure evolution associated with the emergence and decay of intensely active regions  
*R. S. Bogart, S. Basu, M. C. Rabello-Soares, H. M. Antia*
- P64** Needles in haystacks: how to use contemporaneous data in the search for g modes  
*A.-M. Broomhall, W. J. Chaplin, Y. Elsworth*
- P78** Effects of rotation on frequencies of rotating stars  
*K. Burke, M. J. Thompson*
- P71** Comparison of solar p-mode lifetimes from GONG, MDI and TON data  
*O. Burtseva et al.*
- P30** Magnetic field inclination and atmospheric oscillations above solar active regions  
*P. S. Cally, H. Schunker, A. Donea*
- P29** Three-dimensional numerical simulation of wave propagation through a model sunspot  
*R. Cameron, L. Gizon*
- P67** Distribution of MDI p-mode power correlation coefficients  
*H.-Y. Chang, T. Sekii*
- P83** Stellar cycles and damping rates for Sun-like stars along the lower Main Sequence  
*W. J. Chaplin, Y. Elsworth, G. Houdek, R. New*
- P58** On the impact of the solar cycle on the shapes of resonant peaks  
*W. J. Chaplin, Y. Elsworth, R. New, T. Toutain*
- P49** FLAGING up the rotation of the solar core  
*W. J. Chaplin et al.*
- P68** Status of the BiSON network  
*W. J. Chaplin et al.*
- P84** Degree dependence of the p-mode excitation parameters in Sun-as-a-star data  
*W. J. Chaplin et al.*
- P1** Optimal phase-speed filters in time-distance helioseismology  
*S. Couvidat, A. C. Birch*
- P85** Do we understand the relative importance of different observations? Case study: interferometry and asteroseismology  
*O. L. Creevey, M. J. P. F. G. Monteiro, T. M. Brown*
- P91** Pulsational properties of the beta Cep star SY Equ from simultaneous photometric and spectroscopic observations  
*J. Daszynska-Daszekiewicz Andrzej Pigulski*
- P90** Asteroseismology of K giants  
*M. P. Di Mauro, D. Cardini, F. D'antona, C. Maceroni*
- P45** A non-local MLT treatment fitting 3D simulations  
*M.-A. Dupret, M.-J. Goupil, R. Samadi*
- P65** Theoretical damping rates and phase-lags for solar-like oscillations  
*M.-A. Dupret, M.-J. Goupil, R. Samadi*
- P21** The structure of the average supergranule  
*T. L. Duvall Jr., A. C. Birch, L. Gizon, J. Jackiewicz*
- P51** On the direct determination of sensitivity, resolution and information content of helioseismic data – application to the inversion of the solar rotation rate  
*A. Eff-Darwich, S. G. Korzennik, S. Jiménez, R. García*
- P20** Helioseismic probing of giant-cell convection  
*N. A. Featherstone, D. A. Haber, B. W. Hindman, J. Toomre*
- P103** g-modes and the solar cycle

- A. Gabriel*
- P60** **The acoustic solar cycle: SPM and GOLF low-l p-mode variations**  
*R. A. García, S. J. Jiménez-Reyes, A. Jiménez*
- P3** **Validity of the Born approximation in the presence of magnetic fields**  
*L. Gizon, S. M. Hanasoge, A. C. Birch*
- P25** **Acoustic power and magnetic field orientation in a large sunspot**  
*S. Gosain, P. Venkatakrishnan, K. Venugopalan*
- P4** **Tracking and remapping strategies for high-resolution ring analyses**  
*D. A. Haber, B. Hindman, R. Bogart*
- P19** **Differences observed in the near-surface meridional flow using GONG and MDI: what is the source?**  
*D. A. Haber, B. W. Hindman, R. S. Bogart, J. Toomre*
- P89** **Analysis of line profile variations of pulsating red (sub)giants**  
*S. Hekker, C. Aerts, J. De Ridder, F. Carrier*
- P55** **On the frequency signature of rapid variations in the background state**  
*G. Houdek, D. O. Gough*
- P35** **Mode parameter changes with magnetic activity, from large-aperture ring diagram analysis of GONG data**  
*R. Howe, I. González Hernández, R. Komm, F. Hill*
- P22** **Solar rotation and zonal flows from Mount Wilson 60 ft Tower data**  
*R. Howe et al.*
- P14** **f-mode travel time kernels for velocity flows**  
*J. Jackiewicz, L. Gizon, A. Birch*
- P72** **A comparison of acoustic mode parameters using multi-spectral data**  
*K. Jain et al.*
- P11** **Effects of horizontal magnetic fields on acoustic travel-times**  
*R. Jain*
- P53** **A new method to estimate the acoustic cut-off frequency of the Sun using the different properties between p-modes and pseudomodes of low degree**  
*A. Jiménez, S. J. Jiménez-Reyes, R. A. García*
- P8** **On the latitude-longitude distribution of travel times derived from GONG data**  
*Sh. Kholikov, J. Leibacher*
- P43** **Turbulent transport in magnetized tachocline and its implications**  
*E.-J. Kim, N. Leprovost*
- P17** **Comparison of subsurface flows obtained with acoustic holography and ring analysis**
- R. Komm, D. Braun, A. Birch*
- P15** **Subsurface flows measured with big rings**  
*R. Komm, I. González Hernández, R. Howe, F. Hill*
- P26** **On the cookie cutter test for time-distance tomography of active regions**  
*S. G. Korzennik*
- P31** **On the enhanced velocity signals observed during solar flares**  
*B. Kumar, P. Venkatakrishnan, K. Venugopalan*
- P9** **The effect of systematic errors on mode parameters**  
*T. P. Larson, J. Schou*
- P62** **The evolution of the solar velocity background from MDI and GOLF during cycle 23**  
*S. Lefebvre, R. A. García, S. J. Jiménez-Reyes, S. Turck-Chièze*
- P42** **The turbulent tachocline**  
*N. Leprovost, E.-J. Kim*
- P54** **The signature of chemical-composition effect and the adiabatic index**  
*C.-H. Lin, H. M. Antia, S. Basu*
- P24** **Examining possible errors in the inversion results of active regions**  
*C.-H. Lin, S. Basu, L. Li*
- P63** **Sensitivity of the predicted frequencies of g-modes to different physical processes**  
*S. Mathur, S. Turck-Chièze*
- P80** **Asteroseismic diagnostics of stellar convective cores**  
*A. Mazumdar, S. Basu, B. L. Collier, P. Demarque*
- P82** **Calibrating the solar dynamo: magnetic activity cycles of southern Sun-like stars**  
*T. S. Metcalfe, T. J. Henry, M. Knölker, D. R. Soderblom*
- P86** **12 Bootis: a test bed for extra-mixing processes in stars**  
*A. Miglio, J. Montalbán, F. D'Antona, J. De Ridder, C. Maceroni*
- P23** **Meridional flow measurements with statistical waveform analysis**  
*U. Mitra-Kraev, M. J. Thompson, M. F. Woodard*
- P81** **Kepler telescope and solar-like pulsators**  
*J. Molenda-Zakowicz, T. Arentoft, H. Kjeldsen, A. Bonanno*
- P33** **The acoustically active solar flare of 2005 January 15. I. Seismic emission**  
*H. Moradi, A. Donea, C. Lindsey, D. Besliu-Ionescu, P. Cally*
- P88** **Modeling intermediate mass red giants: parameters constraints**

- O. Moreira, J. De Ridder*
- P69 Analysis of velocity-noise variations arising from photon-noise in data from the GOLF instrument**  
*R. New, W. Chaplin, Y. Elsworth, R. García, S. Jiménez-Reyes*
- P92 Chemical composition of the pulsating beta Cephei star gamma Peg**  
*E. Niemczura, G. Polubek*
- P77 Helio- and asteroseismology: the question of the conceptual framework**  
*P. A. P. Nghiem*
- P37 Solar mean magnetic field near the surface and its variation during a cycle**  
*P. A. P. Nghiem, R. A. García, S. Turck-Chièze, S. J. Jiménez-Reyes*
- P87 Procyon-A and eta Bootis: observational frequencies analyzed by the local-wave formalism**  
*P. A. P. Nghiem, P. Lambert, R. A. García, J. Ballot, S. Turck-Chièze*
- P39 Spatial behaviour of f and p modes in atmospheric models**  
*B. Pintér, R. Erdélyi*
- P95 The spectral resolving power of irregularly sampled time series**  
*F. P. Pijpers*
- P38 High-degree mode parameters: changes with solar cycle**  
*M. C. Rabello-Soares, S. G. Korzennik, J. Schou*
- P100 An acoustic showerglass originating in the helioseismic Doppler measurements over active regions**  
*S. P. Rajaguru*
- P2 Sensitivity kernels for helioseismic travel times in spherical geometry**  
*M. Roth, L. Gizon, A. C. Birch*
- P96 The autocorrelation function of stellar p-mode measurements and its diagnostic properties**  
*I. W. Roxburgh, S. V. Vorontsov*
- P57 Variations in p-mode frequencies and splittings with solar activity observed in LOWL data**  
*D. Salabert, S. J. Jiménez-Reyes*
- P66 Solar-activity changes in the p-mode damping and excitation using LOWL observations**  
*D. Salabert, S. J. Jiménez-Reyes*
- P75 High resolution spectrum: towards a new observational strategy**  
*N. Seghouani*
- P97 Time-distance helioseismology in steady sub-photospheric flows**  
*S. Shelyag, R. Erdélyi, M. J. Thompson*
- P48 Seismic solar model with the updated elemental abundances**  
*H. Shibahashi, S. Tamura*
- P76 Study of the role of phase evolution in the amplitudes of low-l solar p modes**  
*R. Simoniello, W. J. Chaplin, Y. Elsworth, R. New*
- P70 The p mode high excitation events: comparison between BiSON and GOLF observations**  
*R. Simoniello, Y. P. Elsworth, W. J. Chaplin, R. García*
- P12 Dynamics study of solar oscillations and granulation with Themis oscillations**  
*R. Simoniello et al.*
- P46 Realistic supergranule-scale convection simulations**  
*R. Stein, Å. Nordlund, D. Georgobiani, D. Benson*
- P40 Hydrodynamical evolution of the solar tachocline**  
*S. Talon*
- P44 Convection and non-axisymmetric large-scale flows at the base of the solar convection zone**  
*E. Tikhomolov*
- P73 Comparison of local frequency shifts between velocity and intensity data from MDI**  
*S. C. Tripathy, H. M. Antia, I. González Hernández, F. Hill, K. Jain*
- P61 Changes to global mode parameters from GONG and MDI over a solar cycle**  
*S. C. Tripathy, F. Hill, K. Jain, J. W. Leibacher*
- P5 The status of GONG's magnetogram processing pipeline**  
*C. G. Toner, R. Clark*
- P98 Three dimensional numerical simulation of solar magnetoconvection with realistic physics**  
*S. Ustyugov*
- P16 Subsurface flows from numerical simulations compared with flows from ring diagrams**  
*S. Ustyugov, R. Komm, O. Burtseva, R. Howe, Sh. Kholikov*
- P36 Phenomenological simulation of total solar irradiance and its power spectrum**  
*H. Vázquez Ramió, C. Régulo, T. Roca Cortés*
- P6 High-degree p modes as surface waves: the group velocity**  
*S. V. Vorontsov*
- P50 On the p-mode coupling by differential rotation**  
*S. V. Vorontsov*
- P10 Correcting Dopplergrams of solar active**

**regions: consequences for local  
helioseismology**

*R. Wachter, S. P. Rajaguru, R. S. Bogart*

- P13** **Inferring subsurface supergranular flow directly from helioseismic correlation data**  
*M. Woodard*
- P18** **North-South asymmetry of zonal and meridional flows determined from ring diagram analysis of GONG data**  
*A. Zatri, R. Komm, I. González Hernández, R. Howe, T. Corbard*
- P59** **How does the change on solar abundances affect low frequency modes?**  
*A. Zatri, J. Provost, G. Berthomieu, P. Morel, T. Corbard*
- P27** **Comparative study of isolated sunspots using time-distance helioseismology**  
*S. Zharkov, C. J. Nicholas, M. J. Thompson*
- P7** **eSDO algorithms for local helioseismology: wave speed perturbation and subsurface flow analysis**  
*S. Zharkov, M. J. Thompson*
- P102** **Solar quakes associated with the flare 28 October 2003**  
*V. V. Zharkova, S. I. Zharkov*